

DEPARTMENT OF DEVELOPMENT SERVICES – PLANNING DIVISION

REPORT: 95-97 Whitney Street, Hartford, CT 06105

For consideration: January 20, 2021

STAFF REPORT

To: HARTFORD PRESERVATION COMMISSION

FROM: Autumn Florek, Senior Planner

T. 860-757-9083; Email: autumn.florek@hartford.gov

PROJECT: 95-97 Whitney Street

PARCEL ID: 133-302-012

ENERGOV ID: COMM-2020-0304

ZONE: N-2-2 **HISTORIC DISTRICT:** West End North National Historic District

Type: Article XII Historic Preservation Commission

Sec. 28-170 through 28-221

APPLICANT: Southern New England Window c/o John Zuba

OWNER: Mark Fullerton and Danielle Thornton




Figure 1: Location Map

BACKGROUND INFORMATION

The subject property is 95-97 Whitney Street, which is a contributing property in the West End North National Historic District. The Colonial Revival structure was built in 1922 and was designed by noted Hartford architect, Burton Sellew.

The structure currently has a mix of replacement and 6/1 wood windows. Of the latter, there are 6 windows on the front façade, 5 windows on the right (or southern) side façade, 7 windows on the rear façade, and at least 2 windows on the left (or northern) side façade. The front and left side third-story dormers also have 6/1 composite windows.



Figure 2: 97 Whitney Street, Staff Photo, January 10, 2021

Proposed Project: The Applicant proposes to remove most of the existing windows on the structure and install 39 Fibrex composite windows in their place. The Applicant proposes to install 22 6/6 double-hung windows, 10 1/1 double-hung windows, 5 3 x 5 casement windows, and 2 3/3 double-hung windows.

The Applicant proposes to replace the six wood windows on the front façade, five of the wood windows on the right (or south) side façade, and seven of the windows on the rear façade. The front and side windows are visible from Whitney Street while the rear windows are out of sight.



Figure 3: Windows that Applicant Proposes to Replace, Front Façade



Figure 4: Windows that Applicant Proposes to Replace, Right/South Side Facade

LEGAL STANDARD

The Commission reviews and acts upon all applications for Document of Suitability. No person or entity may, without first applying and obtaining the approval of the Commission, file an application for a demolition permit, or for a building permit for any protected property as designated in the Historic Preservation Ordinance Sec. 28-219.

STANDARDS SPECIFIC TO THE USE

The commission shall adopt the Secretary of the Interior's Standards for Rehabilitation and the City of Hartford's Guidelines for Renovations and Additions to Historic Buildings.

The following sections of the *Guidelines for* Renovations are relevant:

- o Windows and Doors, page 19:
 - "Recommended: Survey the condition of windows and doors including sash, glazing, wood stiles and rails, moldings, panels, and trim."
 - "Recommended: Consider repair and restoration first. Replace only when repair is not possible."
 - "Recommended: Replace to match as closely as possible the dimensions and profiles of existing components such as stiles, rails, muntins, glazing bars (interior and exterior, and area of glass. Applied muntin frames may be acceptable. These guidelines apply regardless of the material of the new windows."
 - "Not Recommended: Replacing easily repairable wood windows and doors with metal or vinyl windows or doors."

FINDING OF FACTS

CURRENT USE: Two-Family Residential PROPOSED USE: Two-Family Residential YEAR BUILT: Two-Family Residential STYLE: Colonial Revival/Four Square

Particular mention in Historic nomination: Under Criterion C (Architecture), the nomination states that the "degree of cohesion found in this historic district is remarkable. Very few of the houses built between 1870 and 1920, the period of the district's greatest historic and architectural significance, are gone." The nomination goes on to say that the district's architectural significance is enhanced by "the small groups of houses from different periods that are scattered throughout the district, especially those that are architect-designed" (West End NHD nomination, Item 8, Page 1). Elsewhere, the nomination notes that the "district's Colonial Revival buildings display classical detailing and symmetrical massing" and that "square houses with hipped roofs and dormers are common" (Item 7, Page 5).

Current Conditions: The existing windows represent a variety of styles and include both wood and vinyl composite windows. The structure currently has at least 20 6/1 double-hung wood windows.

These include 6 windows on the front façade, 7 windows on the rear façade, 6 windows on the front façade, 5 windows on the right (or southern) side façade, and at least 2 windows on the left (or northern) side façade. Most of the composite windows are double-hung, but there are some non-historic casement windows on the front and side facades. The existing trim is vinyl composite, including for the wood windows.

Nearby Conditions: Many of the neighboring structures have wood windows, a striking number of which had 6/1 patterns. Some have replacement windows with vinyl or aluminum trim.



Figure 5: East Side, Whitney Street, Staff Photo, January 10, 2021




Figure 6: East Side, Whitney Street, Staff Photo, January 10, 2021



Figure 7: West Side, Whitney Street, Staff Photo, January 10, 2021

COMMENTS RECEIVED

(None received as of January 14, 2020)

ANALYSIS

The Preservation Guidelines clearly state that wood windows should not be replaced if they are easily repairable. The Applicant, however, proposes to replace six wood windows on the front façade and five on the right side façade. The Applicant proposes to replace seven wood windows on the rear façade as well. The windows on the rear façade, though are not visible from the street and may be replaced without historic review.

The Colonial Revival structures in the area are also characterized by 6/1 windows. These windows, then, are a singular feature of Whitney Street's built heritage. The proposed replacement of the 6/1 composite windows on the third floor would damage this heritage. Though the 6/1 windows on the third-floor are replacement windows the grid pattern is critical to the structure's appearance from the street. The Preservation Guidelines state that all windows, regardless of material, should be replaced to match the dimensions and profiles of existing windows as closely as possible.

The remainder of the existing windows proposed to be replaced either are not visible from the street, would be replaced in-kind, or already have grid styles that would not be used at the time of the structure's original construction. The Applicant did not submit sufficient specifications at the time this report was written, and as a result staff has included a recommended condition that those windows that are replaced match the dimensions of the existing components such as stiles, rails, muntins, glazing bars, and area of glass as closely as possible.

STAFF RECOMMENDATION

Staff recommends approval of this application, subject to the following conditions:

- (1) The wood windows on the front and side façade shall not be replaced.
- (2) The 6/1 windows on the third-story of the front and side facades shall only be replaced in-kind.
- (3) Windows that are replaced should match the dimensions of the existing components such as stiles, rails, muntins, glazing bars, and area of glass as closely as possible.

ATTACHMENTS

- 1. Completed and signed application form
- 2. Signed contract with specifications of windows
- 3. Photographs submitted by Applicant
- 4. Detail sheet with specifications

REVIEWED.	REV	IEWED.
-----------	-----	--------

Aimee Chambers, Director



CITY OF HARTFORD HISTORIC PRESERVATION COMMISSION RESOLUTION 95-97 WHITNEY STREET HISTORIC PRESERVATION PROPOSAL

Whereas, The City of Hartford Historic Preservation Commission reviewed the proposal for

the proposed replacement of windows at 95-97 Whitney Street; and

Whereas, The subject property is a contributing property in the West End North National

Historic District; and

Whereas, The structure was built in 1922 and represents a mix of Colonial Revival and Four

Square styles; and

Whereas, The architect is believed to have been Burton Sellew; and

Whereas, The structure has at least twenty 6/1 wood windows including six on the front

façade and five on the right or south façade; and

Whereas, The structure has seven 6/1 wood and composite windows installed on the front

and side third-story dormers; and

Whereas, The structures in the surrounding area are distinguished by the significant number

of wood windows; and

Whereas, The neighboring structures are distinguished by the prevalence of 6/1 windows;

and

Whereas, The Applicant proposes to replace some of the existing windows with Fibrex

composite windows.

Whereas, The proposed work, modified to conform with the conditions included in this

resolution, will be consistent with the City's Historic Design Principles;

Now therefore Be It

Resolved, The City of Hartford Historic Preservation Commission hereby approves the

proposed work with conditions.

Resolved, The wood windows on the front and side façade shall not be replaced.

Resolved, The 6/1 windows on the third-story of the front and side facades shall

only be replaced in-kind.

Resolved, Windows that are replaced should match the dimensions of the existing

components such as stiles, rails, muntins, glazing bars, and area of glass as

closely as possible.

Be It Further,

Resolved, This 20th day of January 2021.

DDS- Planning & Zoning: Historic Review Application



Submission date: 22 December 2020, 3:02PM

Receipt number: 109

Property Information

Property Address Street:97 Whitney St

City:Hartford

State:CT

Zip Code:06105

Zoning District:

Parcel ID:

Property Owner: Mark Fullerton & Danielle Thornton

Property Owner's Address: Street: 97 Whitney St

City: Hartford

State: CT

Zip Code: 06105

Phone: (860) 888-4870

Email: N/A

Applicant

Please check if "Applicant" is the same as "Property

Owner"

Name of Applicant: John Zuba (Southern New England Windows)

File Date: 12/22/2020

Address: Street: 10 Reservoir Rd

City: Smithfield

State: RI

Zip Code: 02917

Phone: (401) 447-7172

Email: johnz1492@aol.com

Primary Point of Contact

Name: John Zuba (Southern New England Windows)

Phone: (401) 447-7172

Email: johnz1492@aol.com

Describe your application action(s) and provide as much Install (39) replacement windows. No structural

detail as possible. changes.

Proposed work: Other: replacement

Current materials being repaired/replaced: wood

Materials/products being used in work: fibrex (wood/vinyl composite) to replicate existing

wood windows

Please upload all supporting materials and photographs Hartford Historic App 97 Whitney St.pdf

below. Renewal by Andersen Double-Hung Specification and

Technical Manual.pdf

Signatures

Signature of Applicant:

Link to signature

Name of Applicant: John Zuba (SNEW)

Date: 12/22/20

Signature of Property Owner:

See contract

Link to signature

Name of Property Owner: Mark Fullerton
--

Date: 12/22/20



Agreement Document and Payment Terms

dba: Renewal By Andersen of Southern New England Legal Name: Southern New England Windows, LLC

RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd I Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton

Buyer(s) Name: Mark F	ullerton & Dan	ielle Thornton	Contract Date: 11/15/20	
Buyer(s) Street Address:	97 Whitney Str	reet, Hartford, CT 0	6105	
Primary Telephone Numl	ber:		Secondary Telephone Number: (860)888-4870	
Primary Email: markfu	llerton1968@gn	nail.com	Secondary Email:	
Renewal By Andersen of S Document and Payment T Document, the terms of w	Southern New Engl Terms, any docume which are all agreed	land("Contractor"), in ac ents listed in the Table of to by the parties and inc	nd/or services of Southern New England Windows, LLC decordance with the terms and conditions described in this Accontents, and any other document attached to this Agreem proporated herein by reference (collectively, this "Agreement r has completed all work under this Agreement.	greement nent
Total Job Amount:	97, 285	By signing this Agreen Financed must be made	tent, you acknowledge that the Balance Due, and the Amor e by personal check, bank check, credit card, or cash.	unt
Deposit Received:		F 1 C	Fuir-read Completion.	
Balance Due: Amount Financed:		Estimated Start: 8-12 weeks	Estimated Completion: 8-12 weeks	
3				
Method of Payment: Notes: Seeking 10yr	Financing 6.99% Tax pd H	the date in which we do we are providing at the and time at a later date delay.	ons based on the date of the signed contract and secondarily omplete the technical measurements. The installation date is time is only an estimate. We will communicate an official it. Rain and extreme weather are the most common causes for the cause for the common causes for the common causes for the cause fo	that l date
understandings changing valid without the signed, Agreement, understands the two attached Notices Agreement.	or modifying any written consent of the terms of this A of Cancellation, o	of the terms of this Agree both the Buyer(s) and C greement, and has receive n the date first written ab	entire understandings between the parties and that there are ment. No alterations to or deviations from this Agreement contractor. Buyer(s) hereby acknowledges that Buyer(s) 1) had a completed, signed, and dated copy of this Agreement, it over and 2) was orally informed of Buyer's right to cancel the attitled to a copy of the contract at the time you sign.	will be as read this including
OF 11/18/2020 OR	THE THIRD TE IS LATER. S F THIS RIGHT THIS RIS RIGHT THIS RIGHT THIS RIGHT THIS RIGHT THIS RIGHT THIS RIGHT TH	BUSINESS DAY AF SEE THE ATTACHI F.	TION AT ANY TIME NOT LATER THAN MII TER THE DATE OF THIS TRANSACTION, ED NOTICE OF CANCELLATION FORM FO Signature Danielle Thornton	
Print Name of Sales Person	n n	Print Name	Print Name	
rimt name of Sales Perso)11	THIII INAIIIC	Timt ivanic	



dba: Renewal By Andersen of Southern New England
Legal Name: Southern New England Windows, LLC

RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd I Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton 97 Whitney Avenue

Hartford, CT 06105 C: (860)888-4870

DETAILS:	
Misc: Misc, TO CONSTRUCTION DEPARTMENT:, Trying to maintain original look	
Misc: Misc, THANK YOU!, As a reminder, it is the customer's responsibility to do any painting, staining or touch up work after installation. We appreciate your business and look forward to exceeding your expectations.	
Misc: Misc, PERMIT, Customer has paid for Renewal by Andersen to secure a building permit for their project. Permit fees are non-refundable once Renewal By Andersen applies for a permit.	
Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Tempered Glass, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern: All Sash: No Grille, Misc: None	Ì
Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern: All Sash: No Grille, Misc: None	2
Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern:	3
	Misc: Misc, TO CONSTRUCTION DEPARTMENT:, Trying to maintain original look Misc: Misc, THANK YOUI, As a reminder, it is the customer's responsibility to do any painting, staining or touch up work after installation. We appreciate your business and look forward to exceeding your expectations. Misc: Misc, PERMIT, Customer has paid for Renewal by Andersen to secure a building permit for their project. Permit fees are non-refundable once Renewal By Andersen applies for a permit. Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Tempered Glass, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern: All Sash: No Grille, Misc: None Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern: All Sash: No Grille, Misc: None Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen:



dba: Renewal By Andersen of Southern New England
Legal Name: Southern New England Windows, LLC
RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd I Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton

ID#:	ROOM:	DETAILS:	
104	3rdFlrKitchen	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern: All Sash: No Grille, Misc: None	4
105	ownerbath1	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Tempered Glass, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern: All Sash: No Grille, Misc: None	5
106	ownerStorage	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern: All Sash: No Grille, Misc: None	6
107	ownerOffice	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern: All Sash: No Grille, Misc: None	7
108	ownerOffice	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern: All Sash: No Grille, Misc: None	8



dba: Renewal By Andersen of Southern New England
Legal Name: Southern New England Windows, LLC
RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd | Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton

97 Whitney Avenue Hartford, CT 06105 C: (860)888-4870

ID#:	ROOM:	DETAILS:	
201	ownerLiving	Window: Casement, Double, Vented, Base Frame, Exterior	
	3	White, Interior Pine, Glass: All Sash: High Performance, No	
		Pattern, Tempered Glass, Hardware: Distressed Bronze,	9
		Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light	•
		(FDL with spacer), Permanently Applied Interior Wood Grille,	6)
		Grille Pattern: All Sash: Colonial 3w x 3h, Misc: None	
202	ownerLiving	Window: Casement, Double, Vented, Base Frame, Exterior	
		White, Interior Pine, Glass: All Sash: High Performance, No	
		Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full	10
		Screen, Grille Style: Full Divided Light (FDL with spacer),	
		Permanently Applied Interior Wood Grille, Grille Pattern: All	
		Sash: Colonial 3w x 3h, Misc: None	
203	ownerLiving	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional	***************************************
		Checkrail, Exterior White, Interior Pine, Glass: All Sash: High	
		Performance, No Pattern, Hardware: Distressed Bronze,	. 1
		Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light	11
		(FDL with spacer), Permanently Applied Interior Wood Grille,	
		Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille,	
		Misc: None	
204	ownerLiving	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional	
		Checkrail, Exterior White, Interior Pine, Glass: All Sash: High	
		Performance, No Pattern, Hardware: Distressed Bronze,	
		Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light	12
		(FDL with spacer), Permanently Applied Interior Wood Grille,	
		Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille,	
		Misc: None	

UPDATED: 11/15/20 Page 5 / 24



dba: Renewal By Andersen of Southern New England
Legal Name: Southern New England Windows, LLC
RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd | Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton

ID#:	ROOM:	DETAILS:	
205	ownerLiving	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	13
206	sunroom	Window: Casement, Double, Vented, Base Frame, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: TruScene, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: All Sash: Colonial 3w x 5h, Misc: None	14
207	sunroom	Window: Casement, Double, Vented, Base Frame, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: TruScene, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: All Sash: Colonial 3w x 5h, Misc: None	15
208	sunroom	Window: Casement, Double, Vented, Base Frame, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: TruScene, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: All Sash: Colonial 3w x 5h, Misc: None	16



dba: Renewal By Andersen of Southern New England Legal Name: Southern New England Windows, LLC

RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd | Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton

ID#: ROOM:	DETAILS:	
209 sunroom	Window: Casement, Double, Vented, Base Frame, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: TruScene, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: All Sash: Colonial 3w x 5h, Misc: None	17
210 sunroom	Window: Casement, Double, Vented, Base Frame, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: TruScene, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: All Sash: Colonial 3w x 5h, Misc: None	18
211 dining	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	9
212 dining	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	>



UPDATED: 11/15/20

Itemized Order Receipt

dba: Renewal By Andersen of Southern New England
Legal Name: Southern New England Windows, LLC
RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd | Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton

ID#:	ROOM:	DETAILS:	
213	kitchen	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	21
214	kitchen	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	22
215	ownerLaundry	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: No Grille, Grille Pattern: All Sash: No Grille, Misc: None	23
216	ownersunroom	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	24



dba: Renewal By Andersen of Southern New England
Legal Name: Southern New England Windows, LLC
RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd | Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton

97 Whitney Avenue Hartford, CT 06105 C: (860)888-4870

ID#:	ROOM:	DETAILS:	
217	ownersunroom	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	25
218	ownersunroom	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	26
219	ownersunroom	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	27

UPDATED: 11/15/20 Page 9 / 24



dba: Renewal By Andersen of Southern New EnglandLegal Name: Southern New England Windows, LLC

RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd I Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton

ID#:	ROOM:	DETAILS:	
220	ownersunroom	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	28
221	ownersunroom	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	29
222	ownersunroom	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	30



dba: Renewal By Andersen of Southern New England
Legal Name: Southern New England Windows, LLC

RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd I Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton 97 Whitney Avenue Hartford, CT 06105 C: (860)888-4870

ID#: F	ROOM:	DETAILS:	
223 r	master	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	31
224 r	master	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	32
225	masterbath	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: Sash 1: High Performance, No Pattern, Sash 2: High Performance, No Pattern, Tempered Glass, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	33



dba: Renewal By Andersen of Southern New England Legal Name: Southern New England Windows, LLC

RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd I Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton

ID#:	ROOM:	DETAILS:		
226	parlor	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen:		
		Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	34	
227	parlor	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	35	
Check Perfore Distres Style: Applie		Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Tempered Glass, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	36	



dba: Renewal By Andersen of Southern New England Legal Name: Southern New England Windows, LLC

RI #36079, MA #173245, CT #0634555, Lead Firm #1237

10 Reservoir Rd | Smithfield, RI 02917

Phone: 401-349-1384 | Fax: 401-633-6602 | sales@renewalsne.com

Mark Fullerton & Danielle Thornton

ID#: ROOM:	DETAILS:	Ī
301 tenantliving	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	37
Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior White, Glass: All Sash: Hig Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None		38
303 tenantliving	Window: Double-Hung, 1:1, Slope Sill Insert, Traditional Checkrail, Exterior White, Interior Pine, Glass: All Sash: High Performance, No Pattern, Hardware: Distressed Bronze, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Permanently Applied Interior Wood Grille, Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille, Misc: None	39
304 tenantsunroom	Window: Gliding, Double, 1:1, Active / Passive, Base Frame, Exterior White, Interior White, Glass: All Sash: High Performance, No Pattern, Hardware: White, Screen: Fiberglass, Full Screen, Grille Style: Full Divided Light (FDL with spacer), Wide Bar, Grille Pattern: All Sash: Colonial 3w x 5h, Misc: None	



Renewal by Andersen of Southern New England 10 Reservoir Road, Smithfield, RI 02917

RI Reg # 12259/30839 CT HIC.0562725 MA HI # 119535 Lead Hazard Control Firm License #LHCF-0059 Federal Tax ID# 46-0566630

Contract Amendment

This Amendment ("Amendment") is to the CUSTOM WINDOW AND DOOR REMODELING AGREEMENT ("Agreement") by and between Southern New England Windows, LLC. dba Renewal by Andersen of Southern New England and Danielle Thornton & Mark Fulle (buyers). Contractor and Buyer(s) hereby agree to amend and modify the Agreement as indicated below. Other than as specifically indicated below, all the terms and conditions of the Agreement will remain in full force and effect. This Amendment is subject to the terms and conditions of the Agreement.

The following is an addendum to the Agreement dated: 15 November 2020

Original Contract Price: New Contract Price: S131,876.00 New Contract Price: Financing Approval Amount Method of Payment (if other than finance):		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00	Removing windows #304-320 from the original Contract.	
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		· ·
New Contract Price: New Contract Price: Financing Approval Amount \$127,500.00		
Financing Approval Amount \$127,500.00	Original Contract Price:	\$131,876.00
rinancing Approval Amount	New Contract Price:	\$97,285.00
Method of Payment (if other than finance):	Financing Approval Amount	\$127,500.00
	Method of Payment (if other than finance):	

It is agreed and understood by and between the parties that this Amendment and the original Agreement constitute the entire understanding between the parties, and there are no verbal understandings changing or modifying any of the terms of this Amendment. Buyer(s) hereby acknowledges that they have read and agree to this Amendment on the date written below


Disclaimer for customers with obtained Greensky financing.

Buyer acknowledges that if original contract amount has increased due this Amendment, that within 24 hours of this Amendment, Southern New England Windows LLC, dba Renewal by Andersen of Southern New England will contact Greensky to increase loan amount. The buyer(s) are responsible for contacting Greensky to confirm any change to funding.

Greensky Financing Customer Service Phone Number (866) 936-0602


You are hereby agreeing to all changes listed above and further certify that Greensky has been made aware of any financing changes as a result of this amendment.

Title	Name	Date
Renewal by Andersen Project Consultant	Kevin Elston	22 November 2020
Buyer(s)	Danielle Thornton	22 November 2020
Buyer(s)	Mark Fullerton	22 November 2020











Best,

Kevin Elston Project Consultant Renewal by Andersen | Southern New England

c: 203-942-8428

w: RenewalByAndersen.com

Renewal by Andersen sells, installs, and services energy-efficient replacement windows and patio doors resulting in beautiful homes and delighted homeowners.

Our Company Mantra: Cid:image001.png@01D28842.78DCEFD0

On Dec 14, 2020, at 2:33 PM, Kim Catallozzi kcatallozzi@renewalsne.com wrote:

That will delay the application process, but if that is the first availability you have then that is fine.


[&]quot;The only way of finding the limits of the possible is by going beyond them into the impossible."

DOUBLE-HUNG WINDOW

ADVANTAGES AND APPLICATIONS

A double-hung window consists of two vertically sliding sash in a single frame. Both sash are counterbalanced by a spring-powered block-and-tackle balance mounted on the side of each sash. Tilt latches for each sash allow inward tilting for easy cleaning. Upper and lower sash are securely closed by use of a cam-type sash lock. An insect screen is installed into the outside track.





ADVANTAGES

- Both sash can be operated for ventilation at top and bottom of window.
- Both sash can be tilted inward for easy cleaning.
- Patented Fibrex® material is stronger than vinyl, providing greater durability.
- Fibrex material with low-maintenance capstock gives a rich, low-luster finish to sash and frame, similar to painted wood.
- Smooth radius surfaces on the frame and sash are pleasing to the eye and easier to clean.
- Mortise-and-tenon appearance on the interior and exterior sash corners gives a traditional, hand-crafted look.
- Full-perimeter weatherstrip provides superior weathertightness while still allowing easy sash operation.
- Sash are counterbalanced by a spring-powered block-and-tackle balance mounted on the side and matched to the weight of each individual sash.

APPLICATIONS

- Excellent choice for homes and condominiums where traditional styling is important; appropriate for many restoration projects.
- Suitable in areas facing walkways, decks and other traffic areas because sash do not project outward.
- Convenient in areas where the sash need to be cleaned from the interior.
- Visually compatible with other Renewal by Andersen® products.

STANDARD FEATURES

DOUBLE-HUNG WINDOW




A sloped sill insert double-hung window corner section is shown here, though standard features are the same as for flat sill insert or full-frame double-hung windows.

Failure to follow our painting and/or staining instructions could hamper window performance and will nullify the Limited Warranty. See the General Guidelines section of this manual for more information.








Described below are features that contribute to the casement window's low maintenance, energy efficiency, ease of operation, and pleasing appearance.

- Frame Made of rigid Fibrex material, a unique structural composite of wood fibers and a special thermoplastic polymer. Developed by Andersen, Fibrex material combines the strength and stability of wood with the low- maintenance features of our time-tested Perma-Shield cladding.
- Sash Constructed of Fibrex material. Fusion-welding provides durable, watertight corners. The smooth, radiused sash compliments the frame. An exterior "fillet" bead of high-performance silicone sealant provides a watertight seal between glass and sash.
 - Glazing High-Performance LoE4** glass with an inert, energyefficient gas, is standard for every window. Glass is placed into sash before welding for a strong, weather-tight assembly. An exterior "fillet" bead of high-quality silicone sealant provides a watertight seal between glass and sash. See Options on next page for other glass choices.
 - *LoE4 is a registered trademark of Cardinal IG Company.
 - Glass spacer The patented low-conductivity spacer is made of stainless steel and resists heat transfer four to five times better than aluminum spacers used by many other manufacturers.
 - Low-maintenance exterior coating—A highly durable microscopic coating of titanium dioxide (TiO2) is applied and bonded to the exterior glass surface during the glass manufacturing process. High-Performance Low-E4 glass is self-activating by exposure to sunlight. When activated by sunlight, it loosens dirt, dust and organic material which are then washed away by rain. The glass dries faster and reduces water spotting by up to 99%. (See illustration below.)

The unique exterior coating works similarly to a rechargeable battery. Once the coating is activated or "charged," it will hold its activation for some time. The more sunlight it receives, the better the activation. When re-exposed to sunlight, the coating will recharge after periods of

OPTIONS, cont.

DOUBLE-HUNG WINDOW




Interior wood

grille (INTW)

Available Grille Types- Three options are available. The interior and exterior sides of the grilles are colored to complement the overall window color(s). Consult the color combination charts in each window product section for detailed color information.


Grille-Between-the-Glass (GBG)

Sculpted aluminum grille members are manufactured between the glass panes, and are available in two widths.




Interior Wood Grille (INTW)

With the option of hardwood maple or oak, these grilles snap into clips placed around the interior side of the sash and may be removed to clean the glass. These high definition profile interior wood grilles are available in two different widths.




INTW High Definition (2 widths)






Full Divided Light Grille (FDL)

FDL grilles provide the classic look of a true divided light window. The high definition profile exterior grille is made from Fibrex® material and is available in two different widths. Between the glass panes, an aluminum spacer stands slightly away from each pane to maintain superior thermal performance. The high definition profile interior wood grille is available in either hardwood maple or oak and in two different widths, and may be permanently applied or removable.





FDL High Definition (2 widshs)




DOUBLE-HUNG WINDOW

ADVANTAGES AND APPLICATIONS

A double-hung window consists of two vertically sliding sash in a single frame. Both sash are counterbalanced by a spring-powered block-and-tackle balance mounted on the side of each sash. Tilt latches for each sash allow inward tilting for easy cleaning. Upper and lower sash are securely closed by use of a cam-type sash lock. An insect screen is installed into the outside track.





ADVANTAGES

- Both sash can be operated for ventilation at top and bottom of window.
- Both sash can be tilted inward for easy cleaning.
- Patented Fibrex® material is stronger than vinyl, providing greater durability.
- Fibrex material with low-maintenance capstock gives a rich, low-luster finish to sash and frame, similar to painted wood.
- Smooth radius surfaces on the frame and sash are pleasing to the eye and easier to clean.
- Mortise-and-tenon appearance on the interior and exterior sash corners gives a traditional, hand-crafted look.
- Full-perimeter weatherstrip provides superior weathertightness while still allowing easy sash operation.
- Sash are counterbalanced by a spring-powered block-and-tackle balance mounted on the side and matched to the weight of each individual sash.

APPLICATIONS

- Excellent choice for homes and condominiums where traditional styling is important; appropriate for many restoration projects.
- Suitable in areas facing walkways, decks and other traffic areas because sash do not project outward.
- Convenient in areas where the sash need to be cleaned from the interior.
- Visually compatible with other Renewal by Andersen® products.

STANDARD FEATURES

DOUBLE-HUNG WINDOW




A sloped sill insert double-hung window corner section is shown here, though standard features are the same as for flat sill insert or full-frame double-hung windows.

Failure to follow our painting and/or staining instructions could hamper window performance and will nullify the Limited Warranty. See the General Guidelines section of this manual for more information.








Described below are features that contribute to the casement window's low maintenance, energy efficiency, ease of operation, and pleasing appearance.

- Frame Made of rigid
 Fibrex' material,
 a unique structural composite
 of wood fibers and a special
 thermoplastic polymer.
 Developed by Andersen',
 Fibrex' material combines
 the strength and stability
 of wood with the low- maintenance
 features of our time-tested
 Perma-Shield'cladding.
- Sash Constructed of Fibrex' material. Fusion-welding provides durable, watertight corners. The smooth, radiused sash compliments the frame. An exterior "fillet" bead of high-performance silicone sealant provides a watertight seal between glass and sash.
 - Glazing High-Performance LoE^{4**} glass with an inert, energyefficient gas, is standard for every window. Glass is placed into sash
 before welding for a strong, weather-tight assembly. An exterior "fillet"
 bead of high-quality silicone sealant provides a watertight seal between
 glass and sash. See Options on next page for other glass choices.
 - *LoE4 is a registered trademark of Cardinal IG Company.
 - Glass spacer The patented low-conductivity spacer is made of stainless steel and resists heat transfer four to five times better than aluminum spacers used by many other manufacturers.
 - Low-maintenance exterior coating—A highly durable microscopic coating of titanium dioxide (TiO₂) is applied and bonded to the exterior glass surface during the glass manufacturing process. High-Performance Low-E4 glass is self-activating by exposure to sunlight. When activated by sunlight, it loosens dirt, dust and organic material which are then washed away by rain. The glass dries faster and reduces water spotting by up to 99%. (See illustration below.)

The unique exterior coating works similarly to a rechargeable battery. Once the coating is activated or "charged," it will hold its activation for some time. The more sunlight it receives, the better the activation. When re-exposed to sunlight, the coating will recharge after periods of

OPTIONS, cont.

DOUBLE-HUNG WINDOW




Interior wood

grille (INTW)

Available Grille Types- Three options are available. The interior and exterior sides of the grilles are colored to complement the overall window color(s). Consult the color combination charts in each window product section for detailed color information.


Grille-Between-the-Glass (GBG)

Sculpted aluminum grille members are manufactured between the glass panes, and are available in two widths.



Interior Wood Grille (INTW)

With the option of hardwood maple or oak, these grilles snap into clips placed around the interior side of the sash and may be removed to clean the glass. These high definition profile interior wood grilles are available in two different widths.




INTW High Definition (2 widths)





Full Divided Light Grille (FDL)

FDL grilles provide the classic look of a true divided light window. The high definition profile exterior grille is made from Fibrex® material and is available in two different widths. Between the glass panes, an aluminum spacer stands slightly away from each pane to maintain superior thermal performance. The high definition profile interior wood grille is available in either hardwood maple or oak and in two different widths, and may be permanently applied or removable.





FDL High Definition (2 widths)

